

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

generative model vector classify distance obje

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **59,400** for **generative model respective vector classify**. (0.38 seconds)**Scholarly articles for generative model respective vector classify**[Multiple cause vector quantization](#) - Ross - Cited by 17[Engineering support vector machine kernels that ...](#) - Zien - Cited by 177[Generative Versus Discriminative Methods for Object ...](#) - Ulusoy - Cited by 9**[PDF] Discriminative and generative approaches for classification of ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Generative models** (GMMs). For the **generative classification** approach, we con- ... a segment or boundary feature **vector**, x , we can assign ...people.csail.mit.edu/malex/research_files/ml_report.pdf - [Similar pages](#)**Selection of Generative Models in Classification**is not valid since, for any **generative classification model**, ... Then, each cluster is associated with a **vector** coordinate in the following way. ...doi.ieeecomputersociety.org/10.1109/TPAMI.2006.82 - [Similar pages](#)**[PDF] Using vector quantization to build nonlinear factorial models of ...**

File Format: PDF/Adobe Acrobat

Further, a **generative model** of the data is built in. which the natural curvilinear coordinate on the manifold and the. **respective** departure away from the ...ieeexplore.ieee.org/iel5/7221/19490/00900952.pdf - [Similar pages](#)**[PDF] Automated Classification Schemes for Optical Tomographic Arthritis ...**

File Format: PDF/Adobe Acrobat

Face with Support **Vector** Machines (SVMs), and Transformed ... **B. Generative Model Classification** (TMG). One benefit of a **generative** approach is that a user ...ieeexplore.ieee.org/iel5/10755/33900/01616711.pdf?arnumber=1616711 - [Similar pages](#)**Engineering Support Vector Machine Kernels That Recognize ...**Support **Vector** Machines. Formally, SVMs like any other **classification** method aim at ...Exploiting **Generative Models** in Discriminative Classifiers. ...www.bioinfo.de/isb/gcb99/talks/zien/main.html - 33k - [Cached](#) - [Similar pages](#)**[PDF] Comparison of Generative and Discriminative Techniques for Object ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)in which an image described by a **vector** X (which might comprise raw pixel intensi- ... tures, while the **generative model** gives high **classification** accuracy, ...research.microsoft.com/~cmbishop/downloads/Bishop-Sicily-05.pdf - [Similar pages](#)**[PDF] Generative versus Discriminative Methods for Object Recognition**File Format: PDF/Adobe Acrobat - [View as HTML](#)The performance of the **generative model** immediately. after initialization and before running the EM algorithm. gave an overall correct **classification** rate ...research.microsoft.com/~cmbishop/downloads/Bishop-CVPR-05.pdf - [Similar pages](#)**[PDF] Multiple Cause Vector Quantization**File Format: PDF/Adobe Acrobat - [View as HTML](#)**2 Generative Model**. In MCVQ we assume there are K factors, each of which is modeled by a **vector** quantizer. with J states. To generate an observed data ...

www.cs.toronto.edu/~dross/mcvq/RossZemel_MCVQ.pdf - Similar pages

[PDF] [Independent Component Analysis and Support Vector Machine for Face ...](#)

File Format: PDF/Adobe Acrobat

tion and Support **Vector Machine classification** to extract facial features ... It is a **generative model**, which means that the observations are generated by ...

www.springerlink.com/index/4LGJ6PD9RTNXJNVM.pdf - Similar pages

[PDF] [Bayesian Classification of Single-Trial Event-Related Potentials ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

support **vector machine**, our classifier design is guided by prior knowledge ... matrix – as a **generative model** for **classification**. For the competition data ...

eprints.pascal-network.org/archive/00000575/01/kohbla04p.pdf - Similar pages

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

generative model respective vector classify

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 11 - 20 of about 59,400 for **generative model respective vector classify**. (0.15 seconds)**[PDF] Support Vector Learning for Semantic Argument Classification**File Format: PDF/Adobe Acrobat - [View as HTML](#)

tistical **classification** algorithm with one that uses Support **Vector** Machines ... Thompson, C. A., R. Levy, and C. D. Manning: 2003, 'A **Generative Model** for ...
[www.stanford.edu/~jurafsky/mlj-2004.pdf](#) - [Similar pages](#)

[PDF] A generative framework for real time object detection and ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

inference under the assumptions of the **generative model** described above. ... The resulting classifier was then used to **classify** an additional 120 eyes-open ...
[mplab.ucsd.edu/publications/pdfs/FaselFortenberryMovellan-CVIU2005.pdf](#) - [Similar pages](#)

[PDF] A Generative Framework for Real Time Object Detection and ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

model. One advantage of **generative models** is that probability estimates of ... work for real-time face detection and **classification**. ...
[mplab.ucsd.edu/publications/pdfs/Fasel_CVIU05.pdf](#) - [Similar pages](#)

[PDF] Support Vector Learning for Semantic Argument ClassificationFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Pairwise **classification** and support **vector** machines. In B. Scholkopf, C. Burges, & A. ... A **generative model** for semantic role labeling. In ...
[www.hlt.utdallas.edu/~vh/Courses/Spring06/Papers/Pradhan-ML-05.pdf](#) - [Similar pages](#)

[PDF] Classification using non-standard metricsFile Format: PDF/Adobe Acrobat - [View as HTML](#)

In addition, data are not embedded in a real-**vector** space such ... realized by using the Fisher information of a **generative model** which describes ...
[www2.in.tu-clausthal.de/~hammer/papers/postscripts/tutnonstand.pdf](#) - [Similar pages](#)

[PDF] Landmark-Based Speech Recognition: Report of the 2004 Johns ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

created by combining the **generative** pronunciation **model** ... tered into the **respective** element of the **vector**; the entire vocabulary can thus be represented ...
[people.csail.mit.edu/klivescu/papers/hasegawa-johnson_etal_ICASSP05.pdf](#) - [Similar pages](#)

Training Invariant Support Vector Machines

Exploiting **generative models** in discriminative classifiers. ... Manabu Sassano, Virtual examples for text **classification** with Support **Vector** Machines, ...
[portal.acm.org/citation.cfm?id=599672&dl=](#) - [Similar pages](#)

[PDF] An Automated Classification of Tomographic Arthritis ScansFile Format: PDF/Adobe Acrobat - [View as HTML](#)

using support **vector** machine regression and transformation ... **vector** machine **model** for **classification**. ... 4.3 **Generative Model Classification** (TMG) ...
[www.columbia.edu/~emz2101/04_4995/ezsh_final6772_06.pdf](#) - [Similar pages](#)

[PDF] Contextual Classification by Entropy-Based Polygonization

File Format: PDF/Adobe Acrobat

which can be described by the **generative model** shown in ... **vector** machines for land usage **classification** in Landsat TM. imagery. In Proc. IGARSS 99, vol. ...
doi.ieeecomputersociety.org/10.1109/CVPR.2001.990995 - [Similar pages](#)

[PDF] Independent Component Analysis and Support Vector Machine for Face ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

port **Vector Machine classification** to extract facial features in a face ... is a **generative model**, which means that the observations are generated by a ...

infoscience.epfl.ch/getfile.py?mode=best&recid=86989 - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 7 Mar 2007, 11:53:06 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((generative model* <near/9> distance*)<in>ab) <and>
((classif* or identif* or verif* or authent*)<in>ab))<and>
((sequen* <near/3> vector*)<in>ab)
- #2 ((generative model* <near/9> distance*)<in>ab) <and>
((classif* or identif* or verif* or authent*)<in>ab))<and>
((sequen* <near/3> vector*)<in>ab)
- #3 ((generative model*<in>ab) <and> ((class* or identif* or verif*
or authent*)<in>ab))<and> (vector*<in>ab)
- #4 ((generative model*<in>ab) <and> ((class* or identif* or verif*
or authent*)<in>ab))<and> (vector*<in>ab)
- #5 ((generative model*<in>ab) <and> ((class* or identif* or verif*
or authent*)<in>ab))<and> (vector*<in>ab)
- #6 ((generative model*<in>ab) <and> ((class* or identif* or verif*
or authent*)<in>ab))<and> (vector*<in>ab)
- #7 ((generative model*<in>ab) <and> ((class* or identif* or verif*
or authent*)<in>ab))<and> (vector*<in>ab)
- #8 ((generative model*<in>ab) <and> ((class* or identif* or verif*
or authent*)<in>ab))<and> (vector*<in>ab)

Indexed by
 Inspec[®]

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((generative model*<in>ab) <and> ((class* or identif* or verif* or authent*)<in>g..." ☐ e-mail

Your search matched 25 of 1513808 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((generative model*<in>ab) <and> ((class* or identif* or verif* or authent*)<in>ab)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[Select All](#) [Deselect All](#)

- ☐ 1. **A Generative-Discriminative Hybrid Method for Multi-View Object Detection**
Dong-Qing Zhang; Shih-Fu Chang;
[Computer Vision and Pattern Recognition, 2006 IEEE Computer Society Conference](#)
Volume 2, 2006 Page(s):2017 - 2024
Digital Object Identifier 10.1109/CVPR.2006.27
[AbstractPlus](#) | [Full Text: PDF\(448 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Discriminative training of Bayesian Chow-Liu multinet classifiers**
Kaizhu Huang; King, I.; Lyu, M.R.;
[Neural Networks, 2003. Proceedings of the International Joint Conference on](#)
Volume 1, 20-24 July 2003 Page(s):484 - 488 vol.1
[AbstractPlus](#) | [Full Text: PDF\(399 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Recognizing handwritten digits using hierarchical products of experts**
Mayraz, G.; Hinton, G.E.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 24, Issue 2, Feb. 2002 Page(s):189 - 197
Digital Object Identifier 10.1109/34.982899
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(748 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Online Thai handwritten character recognition using hidden Markov model vector machines**
Sanguansat, P.; Asdornwised, W.; Jitapunkul, S.;
[Communications and Information Technology, 2004. ISCIT 2004. IEEE International](#)
Volume 1, 26-29 Oct. 2004 Page(s):492 - 497 vol.1
Digital Object Identifier 10.1109/ISCIT.2004.1412894
[AbstractPlus](#) | [Full Text: PDF\(658 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Speaker verification using sequence discriminant support vector machines**
Wan, V.; Renals, S.;
[Speech and Audio Processing, IEEE Transactions on](#)
Volume 13, Issue 2, March 2005 Page(s):203 - 210
Digital Object Identifier 10.1109/TSA.2004.841042

[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **6. Discriminatively trained Markov model for sequence classification**
Yakhnenko, O.; Silvescu, A.; Honavar, V.;
[Data Mining, Fifth IEEE International Conference on](#)
27-30 Nov. 2005 Page(s):8 pp.
Digital Object Identifier 10.1109/ICDM.2005.52
[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. A generative-discriminative hybrid for sequential data classification [image example]**
Abou-Moustafa, K.T.; Suen, C.Y.; Cheriet, M.;
[Acoustics, Speech, and Signal Processing, 2004. Proceedings. \(ICASSP '04\). International Conference on](#)
Volume 5, 17-21 May 2004 Page(s):V - 805-8 vol.5
Digital Object Identifier 10.1109/ICASSP.2004.1327233
[AbstractPlus](#) | Full Text: [PDF\(265 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. Hybrid IMM/SVM approach for wavelet-domain probabilistic model based classification**
Chen, L.; Man, H.;
[Vision, Image and Signal Processing, IEE Proceedings-](#)
Volume 152, Issue 6, 9 Dec. 2005 Page(s):724 - 730
Digital Object Identifier 10.1049/ip-vis:20045030
[AbstractPlus](#) | Full Text: [PDF\(420 KB\)](#) IET JNL

- ☐ **9. SVM Arithmetic and It's Application in Many Species Letter Image Recognition**
Cao Zhaolong; Wan Fuyong;
[Chinese Control Conference, 2006](#)
Aug. 2006 Page(s):1862 - 1866
Digital Object Identifier 10.1109/CHICC.2006.280873
[AbstractPlus](#) | Full Text: [PDF\(5263 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. SVM Classifier Approach to Enumerate Directional Signals Impinging on Sensors**
Ahmad Khodayari-Rostamabad; Reilly, J.P.;
[Electrical and Computer Engineering, Canadian Conference on](#)
May 2006 Page(s):2190 - 2193
Digital Object Identifier 10.1109/CCECE.2006.277823
[AbstractPlus](#) | Full Text: [PDF\(124 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. Onboard detection of jarosite minerals with applications to Mars**
Bornstein, B.; Castano, R.; Gilmore, M.S.; Merrill, M.; Greenwood, J.P.;
[Aerospace Conference, 2006 IEEE](#)
4-11 March 2006 Page(s):7 pp.
Digital Object Identifier 10.1109/AERO.2006.1656010
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. A generative model of human hair for hair sketching**
Chen, H.; Zhu, S.C.;
[Computer Vision and Pattern Recognition, 2005. CVPR 2005. IEEE Computer Conference on](#)
Volume 2, 20-25 June 2005 Page(s):74 - 81 vol. 2

Digital Object Identifier 10.1109/CVPR.2005.31

[AbstractPlus](#) | [Full Text: PDF\(712 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **13. Generative, discriminative, and ensemble learning on multi-modal percei toward news video story segmentation**
Hsu, W.H.-M.; Shih-Fu Chang;
[Multimedia and Expo, 2004. ICME '04. 2004 IEEE International Conference on](#)
Volume 2, 27-30 June 2004 Page(s):1091 - 1094 Vol.2
[AbstractPlus](#) | [Full Text: PDF\(647 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **14. A hybrid GMM-SVM speaker identification system**
Mashao, D.J.;
[AFRICON, 2004. 7th AFRICON Conference in Africa](#)
Volume 1, 2004 Page(s):319 - 322 Vol.1
Digital Object Identifier 10.1109/AFRICON.2004.1406684
[AbstractPlus](#) | [Full Text: PDF\(582 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **15. Classification of time-series data using a generative/discriminative hybri**
Abou-Moustafa, K.T.; Cheriet, M.; Suen, C.Y.;
[Frontiers in Handwriting Recognition, 2004. IWFHR-9 2004. Ninth Internationa](#)
26-29 Oct. 2004 Page(s):51 - 56
Digital Object Identifier 10.1109/IWFHR.2004.26
[AbstractPlus](#) | [Full Text: PDF\(136 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **16. Text-independent speaker recognition using probabilistic SVM with GMM**
Fenglei Hou; Bingxi Wang;
[Natural Language Processing and Knowledge Engineering, 2003. Proceeding:](#)
[International Conference on](#)
26-29 Oct. 2003 Page(s):305 - 308
Digital Object Identifier 10.1109/NLPKE.2003.1275919
[AbstractPlus](#) | [Full Text: PDF\(309 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **17. Probabilistic bilinear models for appearance-based vision**
Grimes, D.B.; Shon, A.P.; Rao, R.P.N.;
[Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on](#)
13-16 Oct. 2003 Page(s):1478 - 1485 vol.2
[AbstractPlus](#) | [Full Text: PDF\(1486 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **18. Man-made structure detection in natural images using a causal multiscal**
Kumar, S.; Hebert, M.;
[Computer Vision and Pattern Recognition, 2003. Proceedings. 2003 IEEE Cor](#)
[Conference on](#)
Volume 1, 18-20 June 2003 Page(s):I-119 - I-126 vol.1
[AbstractPlus](#) | [Full Text: PDF\(516 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **19. Bayesian learning for sparse signal reconstruction**
Wipf, D.P.; Rao, B.D.;
[Acoustics, Speech, and Signal Processing, 2003. Proceedings. \(ICASSP '03\).](#)
[International Conference on](#)
Volume 6, 6-10 April 2003 Page(s):VI - 601-4 vol.6
Digital Object Identifier 10.1109/ICASSP.2003.1201753

[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **20. Evaluation of kernel methods for speaker verification and identification**
Wan, V.; Renals, S.;
[Acoustics, Speech, and Signal Processing, 2002. Proceedings. \(ICASSP '02\). International Conference on](#)
Volume 1, 2002 Page(s):I-669 - I-672 vol.1
Digital Object Identifier 10.1109/ICASSP.2002.1005828
[AbstractPlus](#) | Full Text: [PDF\(353 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **21. Online handwriting recognition with support vector machines - a kernel a**
Bahlmann, C.; Haasdonk, B.; Burkhardt, H.;
[Frontiers in Handwriting Recognition, 2002. Proceedings. Eighth International](#)
6-8 Aug. 2002 Page(s):49 - 54
Digital Object Identifier 10.1109/IWFHR.2002.1030883
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **22. A hybrid GMM/SVM approach to speaker identification**
Fine, S.; Navratil, J.; Gopinath, R.A.;
[Acoustics, Speech, and Signal Processing, 2001. Proceedings. \(ICASSP '01\). International Conference on](#)
Volume 1, 7-11 May 2001 Page(s):417 - 420 vol.1
Digital Object Identifier 10.1109/ICASSP.2001.940856
[AbstractPlus](#) | Full Text: [PDF\(444 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **23. Learning the decision function for speaker verification**
Bengio, S.; Mariethoz, J.;
[Acoustics, Speech, and Signal Processing, 2001. Proceedings. \(ICASSP '01\). International Conference on](#)
Volume 1, 7-11 May 2001 Page(s):425 - 428 vol.1
Digital Object Identifier 10.1109/ICASSP.2001.940858
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **24. Using the Fisher kernel method for Web audio classification**
Moreno, P.J.; Rifkin, R.;
[Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings. 2 International Conference on](#)
Volume 6, 5-9 June 2000 Page(s):2417 - 2420 vol.4
Digital Object Identifier 10.1109/ICASSP.2000.859329
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **25. Probability functional of a vector non-Gaussian Markov process**
Lyandres, V.;
[Higher-Order Statistics, 1999. Proceedings of the IEEE Signal Processing Wor](#)
14-16 June 1999 Page(s):247 - 250
Digital Object Identifier 10.1109/HOST.1999.778735
[AbstractPlus](#) | Full Text: [PDF\(112 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Refine Search

Search Results -

Terms	Documents
L18 same (speaker or audio or face or object or image or fingerprint\$1)	16

Search Forms
**Search
Results**
User Searches:
Preferences
Logout

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Search History

DATE: Wednesday, March 07, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	(((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) same (sequen\$5 near2 vector) same (class\$8 or verif\$7 or identif\$6 or categor\$7)	89	<u>L1</u>
<u>L2</u>	L1 and distance\$1	37	<u>L2</u>
<u>L3</u>	L2 and kernel	7	<u>L3</u>
<u>L4</u>	(((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) near5 distance)	133	<u>L4</u>
<u>L5</u>	l4 same (sequen\$5 near5 vector)	3	<u>L5</u>
<u>L6</u>	(((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) same (replac\$6 near3 vector)	22	<u>L6</u>
<u>L7</u>	l6 same (class\$8 or verif\$7 or identif\$6 or categor\$7)	6	<u>L7</u>
<u>L8</u>	(((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) near5 (class\$8 or verif\$7 or identif\$6 or categor\$7))	1196	<u>L8</u>

<u>L9</u>	L8 same vector	281	<u>L9</u>
<u>L10</u>	l9 same (object or face or finger\$5 or audio)	47	<u>L10</u>
<u>L11</u>	L10 and distance	29	<u>L11</u>
<u>L12</u>	L11 and generative	1	<u>L12</u>
<u>L13</u>	l8 same (sequen\$5 near3 vector)	34	<u>L13</u>
<u>L14</u>	L13 same distance	0	<u>L14</u>
<u>L15</u>	(((generative or gaussian) near3 model\$1) or hmm\$2 or (hidden near1 markov)) near5 (class\$8 or verif\$7 or identif\$6 or categor\$7)) same distance	55	<u>L15</u>
<u>L16</u>	L15 and (svp or support vector)	8	<u>L16</u>
<u>L17</u>	l9 and kernel	32	<u>L17</u>
<u>L18</u>	(sequen\$5 near2 vector) with (generative or gaussian mixture or hmm or hidden markov) with (class\$8 o categor\$6 or identif\$6 or recogn\$6 or verif\$7 or authent\$6)	79	<u>L18</u>
<u>L19</u>	L18 same (speaker or audio or face or object or image or fingerprint\$1)	16	<u>L19</u>

END OF SEARCH HISTORY